





Washbasin mixer please refer to page 453

Bidet mixer please refer to page 454

Bath Shower mixer | Shower faucets please refer to page 455

Concealed units please refer to page 456

Please refer to page XXX for spare parts list

Connect fittings come to finally complete the total bathroom solution proposal under the name Connect. Keeping the curves that are synonym with the Connect name, this range is characterized by technical and functional integrity. Blue technology is part of this range too, as the basin model has the Idealpure feature, therefore increasing bathroom hygiene.









FinishesAA Chrome
MY Polished Stainless Steel



Connect Blue

Designer: Artefakt



Description

Connect basin mixer 1 hole, with nickel and lead free waterways, 40 mm Click catridge, hot water limiter, flexible hoses SPX G3/8", Easy-fix, cascade aerator M24x1, centering and sealing ring, pull-up rod and metal non polished pop-up waste, chrome

Connect basin mixer 1 hole, with high swivelling spout, 40 mm Click catridge, hot water limiter, flexible hoses SPX G3/8°, Easy-fix, aerator M24x1, chrome

Alternative product

Connect basin mixer 1 hole, with nickel and lead free waterways, with a maximum 5lt/min flow-rate, 40 mm catridge, hot water limiter, flexible hoses SPX G3/8", Easy-fix, PCA aerator with maximum 5 lt/min flow-rate, centering and sealing ring, pull-up rod and metal non polished pop-up waste, chrome

You can obtain a **maximum 6lt/min** flowrate with one extra component. Specifically:

Connect basin mixer 1 hole, with high swivelling spout, with a maximum 6lt/min flowrate, 40 mm Click catridge, hot water limiter, flexible hoses SPX G3/8", Easy-fix, aerator M24x1, chrome. Necessary codes to order: B9933AA (basin mixer) and A961470NU (regulator).

Necessary equipment

With B9933AA you can order the following wastes:
"Click-clack" waste, slotted, chrome
Swivelling waste, unslotted, chrome
Aerator/regulator that provides a maximum 6lt/min flowrate.

Product Article-No.

Basin mixer	B9914AA
Basin mixer with high spout	B9933AA

Alternative product


Basin mixer, 5lt/min flowrate B9936AA

Necessary equipment

Click-clack waste, slotted	S8803AA
Swivelling waste, unslotted	S8734AA
Regulator 6lt/min	A961470NU

Finishes

AA Chrome







Description

Connect bidet mixer 1 hole, with 40 mm Click catridge, hot water limiter, flexible hoses SPX G3/8", Easy-fix, ball-joint aerator M24x1, centering and sealing ring, pull-up rod and plastic pop-up waste, chrome

Alternative product
You can obtain a maximum 5lt/min flowrate with one extra component. Specifically:

Connect bidet mixer 1 hole, with a maximum 5lt/min flowrate, with 40 mm Click catridge, hot water limiter, flexible hoses SPX G3/8, Easy-fix, ball-joint aerator M24x1, centering and sealing ring, pull-up rod and plastic pop-up waste, chrome. **Necessary codes to order: B9920AA (bidet mixer) and B960852AA (regulator).**

Recommended equipment

Cascade aerator/regulator (M24x1) that provides a maximum 5lt/min

Product Article-No.


Bidet mixer **B9920AA**

Recommended equipment

Regulator 5lt/min B960852AA

Finishes

AA Chrome





Description

Connect bath & shower exposed mixer without accessories, with 47 mm Click cartridge, hot temperature limiter, automatic diverter, adjustable escutcheons, S-connectors, integrated check valve, chrome.

Connect shower exposed mixer without accessories, with 47 mm Click cartridge, hot temperature limiter, adjustable escutcheons, S-connectors, integrated check valve, chrome.

Alternative product

You can obtain a **maximum 8lt/min** flowrate with one extra component. Specifically:

Connect bath & shower exposed mixer without accessories, with a maximum 8lt/min flowrate, with 47 mm Click cartridge, hot temperature limiter, automatic diverter, adjustable escutcheons, S-connectors, integrated check valve, chrome. Necessary codes to order: B9921AA (B&S mixer) and A960453NU (regulator).

Connect shower exposed mixer without accessories, with a maximum 8lt/min flowrate, with 47 mm Click cartridge, hot temperature limiter, adjustable escutcheons, S-connectors, integrated check valve, chrome. Necessary codes to order: B9924AA (Shower mixer) and A960453NU (regulator).

Recommended equipment

Check valve with integrated flow regulator that provides a maximum 8lt/min flow rate.

Product Article-No.

Bath & Shower mixer	B9921AA
Shower mixer	B9924AA


Recommended equipment

Check valve with regulator 8lt/min for B&S and Shower mixer

A960453NU

Finishes

AA Chrome NU Neutral





Designer: Artefakt



Description

Connect bath & shower built-in, kit 2, 47 mm Click cartridge, pull-out knob for diverter and hot temperature limiter, chrome

Connect shower built-in, kit 2, 47 mm Click cartridge and hot temperature limiter, chrome

Necessary equipment

Easy Box kit 1, internal built in part for built in fittings, with pipe connections, fixation feet and fixation holes, support for accurate and reliable positioning both horizontally and vertically, grooves to facilitate trimming of the protruding parts of the box and flushing device

Product Article-No.


Bath & Shower built in mixer	A5802AA
Shower built in mixer	A5801AA

Necessary equipment


Kit 1 Easy-Box A1000NU

Finishes

AA Chrome NU Neutral



A 5801 ..





Bathroom Fittings



Description

Easy Box kit 1, internal built in part for built in fittings, with pipe connections, fixation feet and fixation holes, support for accurate and reliable positioning both horizontally and vertically, grooves to facilitate trimming of the protruding parts of the box and flushing device

Product Article-No.

Kit 1 EASY-Box A1000NU

Finishes

NU Neutral

Bathroon Fittings

